


RING SIZER GUIDE

Before you begin- be sure to check your settings when you print this file! If possible- print on thicker paper or card stock.

Check that the scale is 100% or exact size

DO NOT PRINT as scale to fit!

After printing check the measurements below with a ruler to be sure the size of your print is correct.






В

METHOD 1

INSTRUCTIONS FOR RING SIZER


- 1 Cut out the sizer shape to the right
- 2 Cut a slit (opening) in the wider part of the sizer (line between the triangle shapes) along the dotted line (Near the A end of the sizer)
- 3-Wrap the sizer around the widest part of your finger where you would wear your ring and feed the thinner B end through the slit opening. so that the section with the number sizes is visible where it exits the slit.
- 4-Make a note of which number is at the slit.
- 5-Repeat this process at least twice.
- 6-Tape the sizer in place at the size measured for your finger and try to slide it on and off over your knuckle. It should be snug.



METHOD 2

MEASURING THE SIZE OF AN EXISTING RING THAT IS THE CORRECT SIZE

- 1 Lay the ring over each of the ring diagrams below.
- 2 There are 4 different diagrams in order to clearly see the difference in size.
- 3-The clusters are divided by even and odd sizes and half sizes
- 4-Find the circle that matches most closely the INSIDE of the ring.
- 5-Using a sharp pointed pencil mark the paper so you can see the size after removing the ring.
- 5-This is the ring size. Make a note of this number.



©Fair Winds Jewelry 2018- This document is intended for the use of Fair Winds Jewelry customers to estimate ring size. P.O. Box 22116 Philadelphia, PA 19136 info@fairwindsjewelry.com https://FairWindsJewelry.com